POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
Total 2001 Population 21,450  Population per square mile 25 County ranking in state (1-72) 57	Community Options and	Per   Per   10,000   Staffing - FTE Number Population   Total staff 3 1.4   Administrative 1 0.5   Professional staff 1 0.5
Age   Female   Mate   10tat	CIP1B	Funding
45-54	\$00 760 of the above waiver costs	LICENSED ESTABLISHMENTS
75-84   880   710   1,590   85+   320   180   500   Total   10,770   10,670   21,450	using COP funds. This amount is not included in above COP costs.  * Waiver costs reported here	Type Capacity Facilities     Bed & Breakfast 74 20     Camps 1,484 30     Hotels, Motels 4,157 289     Tourist Rooming 1,048 384     Pools 18
Age	Clients Costs	Restaurants 66
65+ 2,580 2,310 4,890   Total 10,770 10,670 21,450	Eligible and   Waiting 97 n/a     (Family Care not provided in county)	   WIC PARTICIPANTS
Poverty Estimates for 2000   Estimate (C.I.+/-)   All ages 1,683 122   8.0% (7%)   Ages 0-17 514 55	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	Number     Pregnant/Postpartum
   EMPLOYMENT		Total
Average wage for jobs covered   by unemployment compensation   \$21,037   Note: based on place of work   Annual   Labor Force Estimates   Average	Home Health Agencies Patients Patients per 10,000 pop.  Nursing Homes Licensed beds 174	1999   1999   Primary Site Number   Number   Breast 38   Cervical 6   17   17   17   17   17   17   17
Number employed 10,783 Number unemployed 590 Unemployment rate 5.2%	Occupancy rate 67.2% Residents on Dec.31 116 Residents age 65 or older per 1,000 population 23	Prostate   21   Other sites   58   Total   167

			NATA	LITY				
TOTAL LIVE BIRTHS		194	Birth Order			Marital Status		
I STALL LIVE BIKING		-5.	First	76	39		Births	Percent
Crude Live Birth Rate		9 0	First Second Third Fourth or higher Unknown	66	34	Married	131	68
General Fertility Rat			Third	20	15	Not married	63	32
deneral refullity Rat	. C	50.7	Fourth or higher	22	13	Unknown	03	0
livo birthe with rope	rtad		Inknown	23	12	UIIKIIOWII	U	U
Live births with repo congenital anomalies	rteu	F 2 C0/	UTIKTIOWIT	U	U	Education		
congenital anomalies		5 2.6%	First Bassala			Education	D:	<b>D</b>
			First Prenatal Visit	<b>5</b> · · · ·			Births	
Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or les	s 1	1
Vaginal after		_	1st trimester	169	87	Some high school	20	10
previous cesarean	5	3	2nd trimester	15	8	High school	78	40
Forceps	5	3	3rd trimester	6	3	Some college	47	24
Other vaginal	133	69	2nd trimester 3rd trimester No visits Unknown	2	1	Some high school High school Some college College graduate	47	24
Primary cesarean	39	20	Unknown	2	1	Unknown	1	1
Repeat cesarean	12	6						
Other or unknown	Θ	Θ	Number of Prenatal			Smoking Status		
previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown					Percent	of Mother	Births	Percent
Rirthwaight	Rirthc	Parcant	Care visits No visits 1-4	2	1	Smoker	48	25
<1.500 gm	3	1.5	1-4	10	5	Nonsmoker	146	75
1 500-2 499 gm	12	6.2	5 - 9	34	18	Unknown	- 0	0
2 500+ gm	179	92.3	5-9 10-12 13+	79	41	• manomin	ŭ	ŭ
<pre>1,500 gm 1,500-2,499 gm 2,500+ gm Unknown</pre>	1,0	0	13+	69	36			
onknown	Ū	Ū	Unknown	Ő	0			
			Law Diambayaight				\/:a:+	
 			Low Birthweight	1c+ Tr	Trimest	er of First Prenatal	Visit	· ·
Dage of Mother	Dirthe F	orcont	Low Birthweight (under 2,500 gm)	1st Tr	Trimest	er of First Prenatal	Visit Other/	'Unknown
Race of Mother	Births F	Percent	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births	Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births	Unknown Percent
Race of Mother White	Births F	Percent	Low Birthweight (under 2,500 gm) Births Percent 13 8.6	1st Tr Births 140	Trimest imester Percent 92	er of First Prenatal 2nd Trimester Births Percent 6 4	Visit Other/ Births 6	Unknown Percent 4
Race of Mother White Black	Births F 152	Percent 78 1	Low Birthweight (under 2,500 gm) Births Percent 13 8.6	1st Tr Births 140 *	Trimest imester Percent 92	er of First Prenatal 2nd Trimester Births Percent 6 4	Visit Other/ Births 6	Unknown Percent 4
Race of Mother White Black Other	Births F 152 1 41	Percent 78 1 21	Low Birthweight (under 2,500 gm) Births Percent 13 8.6 * 2 4.9	1st Tr Births 140 *	Trimest imester Percent 92	er of First Prenatal 2nd Trimester Births Percent 6 4 * . 9 22	Visit Other/ Births 6 *	Unknown Percent 4 10
Race of Mother White Black Other Unknown	Births F 152 1 41 0	Percent 78 1 21 0	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  * 2 4.9	1st Tr Births 140 * 28	Trimest imester Percent 92 68	er of First Prenatal 2nd Trimester Births Percent 6 4 * . 9 22	Visit Other/ Births 6 * 4	Unknown Percent 4 10
Race of Mother White Black Other Unknown	Births F 152 1 41 0	Percent 78 1 21 0	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  * 2 4.9	1st Tr Births 140 * 28	Trimest imester Percent 92 68	er of First Prenatal 2nd Trimester Births Percent 6 4 * . 9 22	Visit Other/ Births 6 * 4	Unknown Percent 4 . 10
Race of Mother White Black Other Unknown	Births F 152 1 41 0	Percent 78 1 21 0	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  * 2 4.9	1st Tr Births 140 * 28	Trimest imester Percent 92 68	er of First Prenatal 2nd Trimester Births Percent 6 4 * 20 20	Visit Other/ Births 6 * 4 Visit Other/	Unknown Percent 4 . 10 .
Race of Mother White Black Other Unknown Age of Mother	Births F 152 1 41 0 Fe Births	Percent 78 1 21 0	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  * 2 4.9	1st Tr Births 140 * 28	Trimest imester Percent 92 68	ter of First Prenatal 2nd Trimester Births Percent 6 4 * . 9 22	Visit Other/ Births 6 * 4 Visit Other/ Births	Unknown Percent 4 . 10 . Unknown Percent
Race of Mother White Black Other Unknown  Age of Mother <15	Births F 152 1 41 0  Fe Births	Percent 78 1 21 0 ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 13 8.6 * 2 4.9  Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 140 * 28	Trimest imester Percent 92 68	er of First Prenatal 2nd Trimester Births Percent 	Visit Other/ Births 6 * 4 Visit Other/ Births	Unknown Percent 4 . 10 Unknown Percent .
Race of Mother White Black Other Unknown  Age of Mother <15 15-17	Births F 152 1 41 0  Fe Births 0 2	Percent 78 1 21 0 ertility Rate 5	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  * 2 4.9	1st Tr Births 140 * 28	Trimest imester Percent 92 68 Trimest imester Percent	eer of First Prenatal 2nd Trimester Births Percent 	Visit Other/ Births *	Unknown Percent
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19	Births F 152 1 41 0  Births 0 2 18	Percent 78 1 21 0 ertility Rate 5 100	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  2 4.9   Low Birthweight (under 2,500 gm) Births Percent   *	1st Tr Births 140 * 28	Trimest imester Percent 92 68 . Trimest imester Percent . 89	eer of First Prenatal 2nd Trimester Births Percent  * . 1 6	Visit Other/ Births *	'Unknown Percent 6
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24	Births F 152 1 41 0  Births 0 2 18 45	Percent 78 1 21 0 ertility Rate 5 100 144	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  * 2 4.9	1st Tr Births 140 * 28	Trimest imester Percent 92 68 . Trimest imester Percent . 89 71	eer of First Prenatal 2nd Trimester Births Percent  * 1 6 9 20	Visit Other/ Births * 1	'Unknown Percent 6
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	Births F 152 1 41 0  Births 0 2 18 45 46	Percent 78 1 21 0 ertility Rate 5 100 144 112	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  2 4.9   Low Birthweight (under 2,500 gm) Births Percent  4 8.9	1st Tr Births 140 * 28	Trimest imester Percent 92 68 . Trimest imester Percent . 89 71 93	eer of First Prenatal 2nd Trimester Births Percent  * 1 6 9 20 1 2	Visit Other/ Births * 1 4	Unknown Percent
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births F 152 1 41 0  Births 0 2 18 45 46 53	Percent 78 1 21 0 ertility Rate 5 100 144 112 98	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  2 4.9   Low Birthweight (under 2,500 gm) Births Percent  4 8.9 6 11.3	1st Tr Births 140 * 28	Trimest imester Percent 92 68 Trimest imester Percent 89 71 93 94	eer of First Prenatal 2nd Trimester Births Percent  * 1 6 9 20 1 2	Visit Other/ Births * 1 4 2	'Unknown Percent 6
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	Births F 152 1 41 0  Births 0 2 18 45 46 53 24	Percent 78 1 21 0 ertility Rate 5 100 144 112 98 33	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  2 4.9   Low Birthweight (under 2,500 gm) Births Percent  4 8.9	1st Tr Births 140 * 28	Trimest imester Percent 92 68 . Trimest imester Percent . 89 71 93	eer of First Prenatal 2nd Trimester Births Percent  * 1 6 9 20 1 2	Visit Other/ Births * 1 4	'Unknown Percent 6
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births F 152 1 41 0  Births 0 2 18 45 46 53	Percent 78 1 21 0 ertility Rate 5 100 144 112 98	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  2 4.9   Low Birthweight (under 2,500 gm) Births Percent  4 8.9 6 11.3	1st Tr Births 140 * 28	Trimest imester Percent 92 68 Trimest imester Percent 89 71 93 94	eer of First Prenatal 2nd Trimester Births Percent  * 1 6 9 20 1 2	Visit Other/ Births * 1 4 2	'Unknown Percent 6 9 4 4
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births F 152 1 41 0  Births 0 2 18 45 46 53 24	Percent 78 1 21 0 ertility Rate 5 100 144 112 98 33	Low Birthweight (under 2,500 gm) Births Percent 13 8.6  2 4.9   Low Birthweight (under 2,500 gm) Births Percent  4 8.9 6 11.3	1st Tr Births 140 * 28	Trimestimester Percent 92 68 Trimestimester Percent 89 71 93 94 88	eer of First Prenatal 2nd Trimester Births Percent  * 1 6 9 20 1 2	Visit Other/ Births * 1 4 2	'Unknown Percent 6 9 4 4
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births F 152 1 41 0 	Percent 78 1 21 0 ertility Rate 5 100 144 112 98 33 7	Low Birthweight (under 2,500 gm) Births Percent 13 8.6 2 4.9  Low Birthweight (under 2,500 gm) Births Percent 4 8.9 6 11.3 5 20.8	1st Tr Births 140 * 28	Trimestimester Percent 92 68 Trimestimester Percent 89 71 93 94 88 100	eer of First Prenatal 2nd Trimester Births Percent  * 1 6 9 20 1 2	Visit Other/ Births  * 1 4 2 2 1	'Unknown Percent 6 9 4 4 4

MORBIDITY			MO F	RTALITY		
				per 100,000 population.		- 1
	i neonatal. and	, Dostneor	natal death	rates are per 1,000 liv	ve births.	i
REPORTED* CASES OF SELECTED DISEASES	l Perinatal and	l fetal de	eath rates	are per 1,000 live birth	is plus	i
	fetal deaths	Rates a	are not cal	culated for fewer than 2	20 deaths	i
	l retail deaths.	Races	are not car	catatea for rewer than 2	deaths.	i
Disease   Number	TOTAL DEATHS		264	Selected		ł
Campylobacter Enteritis <5	Crude Death Ra	ıtα	1 229	Underlying Cause	Deaths Rate	-
Giardiasis <5	l Clude Death Ra	110	1,223	Heart Disease (total)	72 335	- 1
	<u> </u>			Ischemic heart diseas	se 55 256	- !
	1 1 1 1	Deaths	Rate	Ischemic heart diseas	81 377	!
	Age			Cancer (total)   Trachea/Bronchus/Lun	OI 3//	ļ
Hepatitis NANB/C <5 Legionnaire's 0	1-4   5-14	1				- !
		1	•	Colorectal Female Breast	6 .	.
Lyme <5	15-19	1	•	Female Breast	8 .*	ļ
Measles 0	20-34	4		Cerebrovascular Diseas	se 19 .	ļ
Meningitis, Aseptic <5	35-54	24	392	Lower Resp. Disease   Pneumonia & Influenza	10 .	!
Meningitis, Bacterial 0	55-64		654	Pneumonia & Influenza	3 .	ļ
Mumps 0	65-74	56	1,997	Accidents	12 .	ļ
Pertussis 0	j 75-84	71	4,462	Motor vehicle	9 .	ļ
Salmonellosis 7	j 85+	84	17,095	Diabetes	7 .	
Shigellosis 0				Infectious & Parasition		
Tuberculosis <5				Suicide	4 .	
	İ Infant					
* 2001 provisional data	Mortality	Deaths	Rate	* Rate for female brea		
** Includes all positive HBsAg	Total Infant	2		j on female popula	ation.	
test results	Neonatal	2	•			
	Postneonatal			ALCOHOL AND DRUG ABUSE		
	Mortality   Total Infant   Neonatal   Postneonatal   Unknown	•		OR CONTRIBUTING CAU	JSE OF DEATH	
Sexually Transmitted Disease						
Chlamydia Trachomatis 19	Race of Mother			Alcohol	6 .	
Genital Herpes 8	White	1		Other Drugs	8 .	
Gonorrhea <5	Black			Alcohol   Other Drugs   Both Mentioned		
Syphilis 0	) Other	1				
	Unknown	•		MOTOR VEHICL	_E CRASHES	-
	Birthweight			Note: These data are		'n
IMMUNIZATIONS	<pre>1 &lt;1,500 gm   1,500-2,499 gm   2,500+ gm</pre>			of crash, not of	on residence.	
	1,500-2,499 gm		•			
Children in Grades K-12 by	2,500+ gm	2		Type of Motor	Persons Persons	, [
Compliance Level	Unknown			Vehicle Crash	Injured Killed	i į
Compliant 3,184				Total Crashes	226 10	/
Non-compliant 22				Type of Motor Vehicle Crash Total Crashes Alcohol-Related	43 7	į
Compliant 3,184 Non-compliant 22 Percent Compliant 99.3	Perinatal			With Citation:		
	Mortality	Deaths	Rate	For OWI	94 1	
	Total Perinatal	3		For Speeding	40 0	
	Neonatal	2		For Speeding Motorcyclist	9 0	
	Total Perinatal Neonatal Fetal	1		Bicyclist	5 0	
				Pedestrian	3 1	. j
	· 					

DISEASE / 1,000
Injury-Related: All
Injury-Related: All
Total       259       12.1       4.5       \$13,955       \$168       Total       183       8.5       4.3       \$5,860       \$5         <18
Total       259       12.1       4.5       \$13,955       \$168       Total       183       8.5       4.3       \$5,860       \$5         <18
1       <18
18-44     57     9.5     4.1     \$13,458     \$127     45-64     47     7.7     3.6     \$6,664     \$5       45-64     45     7.4     4.9     \$18,271     \$135     Pneumonia and Influenza       65+     129     26.4     5.0     \$13,954     \$368     Total     92     4.3     4.1     \$8,016     \$3       Injury: Hip Fracture     <18
65+ 129 26.4 5.0 \$13,954 \$368   Total 92 4.3 4.1 \$8,016 \$3   Injury: Hip Fracture
65+ 129 26.4 5.0 \$13,954 \$368   Total 92 4.3 4.1 \$8,016 \$3   Injury: Hip Fracture
Injury: Hip Fracture <18 6
j Ťotál ' 28 1.3 5.0 \$16,862 \$22 j 45-64 17
10tat
Injury: Poisonings
10.44 14 10.45 10.4
65+ 87 17.8 3.9 \$11,785 \$21
Psychiatric Chronic Obstructive Pulmonary Disease
Total 120 5.6 5.9 \$6,184 \$35   Total 56 2.6 3.6 \$7,182 \$1
<18
18-44     47     7.8     4.1     \$5,000     \$39     18-44     5     .     .     .       45-64     29     4.8     6.1     \$6,781     \$32     45-64     10     .     .     .
45-64
65+ 17   65+ 39 8.0 3.9 \$7,660 \$6
j Drug-Related
Coronary Heart Disease   Total 10
Total 256 11.9 3.5 \$19,428 \$232   18-44 7
45-64 81 13.3 2.8 \$17,680 \$235
j 65+ 163 33.4 3.9 \$20,458 \$682 j Total Hospitalizations
Total 3,344 155.7 3.9 \$10,449 \$1,62
Malignant Neoplasms (Cancers): All   <18 370 83.5 3.1 \$4,643 \$38
Total 148 6.9 5.9 \$16,523 \$114   18-44 671 111.4 3.3 \$7,757 \$86
18-44 9
18-44     9     .     .     .     .     .     45-64     716     117.4     3.9     \$12,078     \$1,41       45-64     35     5.7     6.6     \$19,093     \$110     65+     1,587     324.7     4.4     \$12,205     \$3,96
65+ 104 21.3 5.5 \$14,502 \$309
Neoplasms: Female Breast (rates for female population)   PREVENTABLE HOSPITALIZATIONS*
Total 10 Total 417 19.4 3.1 \$6,624 \$12
Noonlasms: Colo rostal
Total 18
65+ 12
Total 18   18-44 38 6.3 2.8 \$5,654 \$3   65+ 12   45-64 83 13.6 3.0 \$6,982 \$9   Neoplasms: Lung   65+ 267 54.6 3.4 \$7,036 \$38
Total 24 1.1 4.3 \$13,475 \$15   * Hospitalizations for conditions where timely and effect
ambulatory care can reduce the likelihood of hospitalizations
Diabetes   The definition of preventable hospitalizations in 2001
65+ 27 5.5 4.4 \$9,538 \$53   Please refer to the note at the bottom of this page in t
1997 report for an explanation of the change made between
1996 and 1997.